Information Processing Letters 43 (1992) 341–342
North-Holland

19 October 1992

Author Index Volume 43 (1992)

(The issue number is given in front of the page numbers.)

Albacea, E.A., A parallel algorithm for edge-coloring of graphs with edge-disjoint cycles (6) 309–314
Allison, L., Lazy dynamic-programming can be eager (4) 207–212

Bachmair, L., Associative-commutative reduction orderings (1) 21– 27
Bagchi, A., On sorting in the presence of erroneous information (4) 213–215
Bern, M. and **J.R. Gilbert**, Drawing the planar dual (1) 7– 13
Birget, J.-C., Intersection and union of regular languages and state complexity (4) 185–190
Boreale, M., P. Inverardi and **M. Nesi**, Complete sets of axioms for finite basic LOTOS behavioural equivalences (3) 155–160

Chandra, B., Does randomization help in on-line bin packing? (1) 15– 19
Chang, M.-S. and **F.-H. Wang**, Efficient algorithms for the maximum weight clique and maximum weight independent set problems on permutation graphs (6) 293–295
Chang, M.-S., *see* **Peng, S.-L.** (6) 297–300
Chang, R.C., *see* **Hsu, F.R.** (2) 69– 75
Chang, R.S., *see* **Hsiao, J.Y.** (5) 229–235
Chee, Y.M. and **A. Lim**, The algorithmic complexity of colour switching (2) 63– 68
Chen, H., X. Yu, K. Yamaguchi, H. Kitagawa, N. Ohbo and **Y. Fujiwara**, Decomposition – An approach for optimizing queries including ADT functions (6) 327–333
Chen, Z.-Z., A fast and efficient parallel algorithm for finding a satisfying truth assignment to a 2-CNF formula (4) 191–193
Cheung, S. and **F.C.M. Lau**, Mesh permutation routing with locality (2) 101–105
Choe, K.-M., *see* **Kim, D.-H.** (3) 165
Cooklev, T.V., *see* **Dimitrov, V.S.** (3) 161–164
Czech, Z.J., G. Havas and **B.S. Majewski**, An optimal algorithm for generating minimal perfect hash functions (5) 257–264

Dawes, R.W., Some pursuit–evasion problems on grids (5) 241–247
de Moor, O., Inductive data types for predicate transformers (3) 113–117
Deng, H., *see* **Sen, A.** (2) 87– 94
Dimitrov, V.S., T.V. Cooklev and **B.D. Donevsky**, On the multiplication of reduced biquaternions and applications (3) 161–164
Donevsky, B.D., *see* **Dimitrov, V.S.** (3) 161–164

Fujiwara, Y., *see* **Chen, H.** (6) 327–333

Galiev, V.I., A.F. Polupanov and **I.E. Shparlinski**, Distances from differences of roots of polynomials to the nearest integers (3) 143–146
Gemmell, P. and **M. Sudan**, Highly resilient correctors for polynomials (4) 169–174
Gilbert, J.R., *see* **Bern, M.** (1) 7– 13
Greenberg, R.I. and **F. Miller Maley**, Minimum separation for single-layer channel routing (4) 201–205
Guha, S., *see* **Sen, A.** (2) 87– 94

Hagerup, T., On a compaction theorem of Ragde (6) 335–340
Havas, G., *see* **Czech, Z.J.** (5) 257–264
Henzinger, T.A., Sooner is safer than later (3) 135–141
Hsiao, J.Y., C.Y. Tang and **R.S. Chang**, An efficient algorithm for finding a maximum weight 2-independent set on interval graphs (5) 229–235
Hsu, F.R., R.C.T. Lee and **R.C. Chang**, Special subgraphs of weighted visibility graphs (2) 69– 75
Hsu, S.-C. and **S.-T. Huang**, A self-stabilizing algorithm for maximal matching (2) 77– 81
Huang, S.-T., *see* **Hsu, S.-C.** (2) 77– 81
Huttenlocher, D.P., K. Kedem and **J.M. Kleinberg**, Voronoi diagrams of rigidly moving sets of points (4) 217–223
Hwang, T., Attacks on Okamoto and Tanaka's one-way ID-based key distribution system (2) 83– 86

Inoue, K., A. Ito and **I. Takanami**, A relationship between nondeterministic Turing machines and 1-inkdot Turing machines with small space (4) 225–227
Inverardi, P., *see* **Boreale, M.** (3) 155–160
Ito, A., *see* **Inoue, K.** (4) 225–227

Jerebic, I. and **R. Trobec**, Optimal routing in toroidal networks (6) 285–291

Kedem, K., *see* **Huttenlocher, D.P.** (4) 217–223

Kern, W., Learning convex bodies under uniform distribution (1) 35–39
Kim, C. and **J.-S. Kim**, A mean value analysis of the Ethernet throughput (6) 315–320
Kim, D.-H. and **K.-M. Choe**, Yet another efficient backward execution algorithm in the AND/OR Process Model (*Corrigendum*) (3) 165
Kim, J.L., *see* **Liu, X.** (3) 129–133
Kim, J.-S., *see* **Kim, C.** (6) 315–320
Kitagawa, H., *see* **Chen, H.** (6) 327–333
Kleinberg, J.M., *see* **Huttenlocher, D.P.** (4) 217–223
Kolountzakis, M.N. and **K.N. Kutulakos**, Fast computation of the Euclidian distance maps for binary images (4) 181–184
Koutsoupias, E. and **C.H. Papadimitriou**, On the greedy algorithm for satisfiability (1) 53–55
Kshemkalyani, A., *see* **Singhal, M.** (1) 47–52
Kutulakos, K.N., *see* **Kolountzakis, M.N.** (4) 181–184

Lau, F.C.M., *see* **Cheung, S.** (2) 101–105
Lee, R.C.T., *see* **Hsu, F.R.** (2) 69–75
Li, M. and **P.M.B. Vitányi**, Optimality of wait-free atomic multiwriter variables (2) 107–112
Lim, A., *see* **Chee, Y.M.** (2) 63–68
Liu, X. and **J.L. Kim**, An efficient parallel sorting algorithm (3) 129–133

Majewski, B.S., *see* **Czech, Z.J.** (5) 257–264
Majster-Cederbaum, M.E., Ensuring the existence of a BCNF-decomposition that preserves functional dependencies in $O(N^2)$ time (2) 95–100
Martelli, M. and **C. Tricomi**, A new SLDNF-tree (2) 57–62
Miller Maley, F., *see* **Greenberg, R.I.** (4) 201–205
Muthukrishnan, D.R., *see* **Satyanarayanan, R.** (5) 249–255

Nesi, M., *see* **Boreale, M.** (3) 155–160

Ohbo, N., *see* **Chen, H.** (6) 327–333

Palsberg, J. and **M.I. Schwartzbach**, Safety analysis versus type inference for partial types (4) 175–180
Papadimitriou, C.H., *see* **Koutsoupias, E.** (1) 53–55
Penczek, W., On undecidability of propositional temporal logics on trace systems (3) 147–153
Peng, S.-L. and **M.-S. Chang**, A simple linear time algorithm for the domatic partition problem on strongly chordal graphs (6) 297–300
Polupanov, A.F., *see* **Galiev, V.I.** (3) 143–146
Pombortsis, A.S., Analysis of hierarchical bus-based multicomputer architectures (5) 265–270

Ressler, E.K., Random list permutations in place (5) 271–275

Saluja, S., A note on the permanent value problem (1) 1–5
Saluja, S. and **K.V. Subrahmanyam**, On the power of enumerative counting (3) 119–125
Satyanarayanan, R. and **D.R. Muthukrishnan**, A note on Raymond's tree based algorithm for distributed mutual exclusion (5) 249–255
Schirra, S., Approximate decision algorithms for approximate congruence (1) 29–34
Scholefield, D. and **H.S.M. Zedan**, Weakest precondition semantics for time and concurrency (6) 301–308
Schwabe, E.J., Embedding meshes of trees into deBruijn graphs (5) 237–240
Schwartzbach, M.I., *see* **Palsberg, J.** (4) 175–180
Sen, A., H. Deng and **S. Guha**, On a graph partition problem with application to VLSI layout (2) 87–94
Shparlinski, I.E., *see* **Galiev, V.I.** (3) 143–146
Singhal, M. and **A. Kshemkalyani**, An efficient implementation of vector clocks (1) 47–52
Sinharoy, B., *see* **Szymanski, B.K.** (3) 167
Subrahmanyam, K.V., *see* **Saluja, S.** (3) 119–125
Sudan, M., *see* **Gemmell, P.** (4) 169–174
Szymanski, B.K. and **B. Sinharoy**, Complexity of the closest vector problem in a lattice generated by (0, 1)-matrix (*Corrigendum*) (3) 167

Takanami, I., *see* **Inoue, K.** (4) 225–227
Takaoka, T., A new upper bound on the complexity of the all pairs shortest path problem (4) 195–199
Tang, C.Y., *see* **Hsiao, J.Y.** (5) 229–235
Tricomi, C., *see* **Martelli, M.** (2) 57–62
Trobec, R., *see* **Jerebic, I.** (6) 285–291
Tsai, L.-H., An algorithm for flow time minimization and its asymptotic makespan properties (1) 41–46

van Vliet, A., An improved lower bound for on-line bin packing algorithms (5) 277–284
Vitányi, P.M.B., *see* **Li, M.** (2) 107–112

Wang, F.-H., *see* **Chang, M.-S.** (6) 293–295
Wang, J., A note on two-way probabilistic automata (6) 321–326
Woeginger, G.J., Finding the closest extreme vertex to a fixed point (3) 127–128

Yamaguchi, K., *see* **Chen, H.** (6) 327–333
Yu, X., *see* **Chen, H.** (6) 327–333

Zedan, H.S.M., *see* **Scholefield, D.** (6) 301–308